INDEX TO AUTHORS.

A

Albery, H. G. See BENTON and ALBERY, 251

B

Beber, M. See MORGULIS, BEBER, and RABKIN, 521, 535, 547

Benedict, Ethel M., Dakin, H. D., and **West, R.** On glutose and its biochemical behavior, 1

Benedict, Stanley R. The estimation of sugar in blood and normal urine, 759

Benton, Anne G., and **Albery, H. G.** Studies on the stability of evaporated milk during sterilization, with reference to the hydrogen ion concentration, alcohol test, and the addition of specific buffers, 251

Bills, Charles E., and **McDonald, Francis G.** Antiricketic substances. IV. The polymerization of cholesterol, 821

Bloor, W. R. Distribution of unsaturated fatty acids in tissues. I. Beef heart muscle, 33

Brown, Herman. The determination of uric acid in blood, 123

—. The mineral content of human, dog, and rabbit skin, 729

C

Calvery, H. O. The preparation of adenine nucleotide from tea leaves, 593

Cammack, M. L. See SHERMAN and CAMMACK, 69

Campbell, Walter R., and **Hepburn, J.** The effect of dihydroxyacetone on insulin hypoglycemia, 575

Carman, G. G. See MITCHELL and CARMAN, 165, 183

Cerecedo, Leopold R. See MUENZEN, CERECEDO, and SHERWIN, 503

Clayton, M. M. See MATTILL and CLAYTON, 665

Conant, James B., and **Scott, Norman D.** The adsorption of nitrogen by hemoglobin, 107

Cox, Gerald J., and **Rose, William C.** The availability of synthetic imidazoles in supplementing diets deficient in histidine, 781

— and —. Can purines, creatinine, or creatine replace histidine in the diet for purposes of growth? 769

—. See ROSE and COX, 217

D

Dakin, H. D. See BENEDICT, DAKIN, and WEST, 1

Davison, Wilburt C. See MASLOW and DAVISON, 75, 83, 95

Deuel, H. J., Jr., Waddell, S. S., and **Mandel, J. A.** Animal calorimetry. Thirty-second paper. The physiological behavior of glucosane, 801

Drucker, Paul, and **Faber, Frans.** Investigations in tetany, 57

E

Ege, Richard. On the residual reduction of blood, 317

Erikson, Statie E. See Okey and Erikson, 687

Evenden, James. See Deuel, Waddell, and Mandel, 801

—. See Wierzuchowski, 385

F

Faber, Frans. See Drucker and Faber, 57

Falk, K. George. See Noyes, Lorberblatt, and Falk, 135

Finch, Myron W. See Youngburg and Finch, 335

Fred, E. B. See Pederson, Peterson, and Fred, 151

G

Greenwald, Isidor, and **Gross, Joseph.** The effect of long continued administration of parathyroid extract upon the excretion of phosphorus and calcium, 325

Gross, Joseph. See Greenwald and Gross, 325

H

Hann, Raymond M., and **Sando, Charles E.** Scyllitol from flowering dogwood (*Cornus florida*), 399

Hearn, John E. See Lyttle and Hearn, 751

Hepburn, J. See Campbell and Hepburn, 575

Hiller, Alma. The effect of histamine on the acid-base balance, 833

—. The effect of histamine on protein catabolism, 847

—. See Van Slyke and Hiller, 323

Holbøll, Svend Aage. See Lundsgaard and Holbøll, 439, 457, 475, 485

Horvath, A. A. Changes in the blood composition of rabbits fed on raw soy beans, 343

Howland, John, Marriott, W. McKim, and **Kramer, Benjamin.** Studies upon the inorganic composition of bones, 721

—. See Kramer and Howland, 711

I

Irving, Laurence. The relation of solubility to the absorption of calcium salts from the intestine, 513

—. The solubility of calcium in serum, 239

K

Kendall, Edward C., and **Ort, John M.** The oxidation-reduction potentials of 2-oxydihydroindole-3-propionic acid and some of its halogen derivatives, 611

Kramer, Benjamin, and **Howland, John.** The quantitative estimation of calcium, magnesium, phosphate, and carbonate in bone, 711

—. See HOWLAND, MARRIOTT, and KRAMER, 721

—. See PINCUS, PETERSON, and KRAMER. 601

L

Leavenworth, Charles S. See VICKERY and LEAVENWORTH, 225

Levene, P. A., and **Pfaltz, Mimosa H.** Studies on racemization. III. Action of alkali on glycyl-levoalanyl-glycine and on glycyl-glycyl-levoalanyl-glycine, 277

— and **Rolf, Ida P.** Plant phosphatides. II. Lecithin, cephalin, and so called cuorin of the soy bean, 285

— and **Simms, H. S.** Lactone formation from gluconic acids and the structure of glucose, 759

— and **Walti, A.** On the configurational relationship of β-hydroxybutyric acid and propylene glycol, 415

Lorberblatt, I. See NOYES, LORBERBLATT, and FALK, 135

Lundsgaard, Christen, and **Holbøll, Svend Aage.** Investigations into the standardization and calibration of collodion membranes. I, 439

— and —. Studies in carbohydrate metabolism. VI. Technique applied in determining the presence of new-glucose in various biological fluids, 457

Lundsgaard, Christen, and **Holbøll, Svend Aage.** VII. Investigations into the transformation of the liver glycogen into glucose *in vitro*, 475

— and —. VIII. Investigations into the action of liver tissue and insulin on glucose *in vitro*, 485

Lyttle, John D., and **Hearn, John E.** A comparison of the Folin-Wu and the new Benedict method for sugar in blood and cerebrospinal fluid, 751

M

Mandel, J. A. See DEUEL, WADDELL, and MANDEL, 801

Marriott, W. McKim. See HOWLAND, MARRIOTT, and KRAMER, 721

Maslow, Herman L., and **Davison, Wilburt C.** A comparison of the viscometric, copper reduction, polariscopic, and iodometric methods for measuring the rate of hydrolysis of starch and dextrin by *Aspergillus oryzæ*, 75

— and —. The effect of the hydrogen ion concentration upon the dextrin-liquefying activity of the dextrinase of *Aspergillus oryzæ*, 95

— and —. The effect of the hydrogen ion concentration upon the starch-liquefying activity of the amylase of *Aspergillus oryzæ*, 83

Mattill, H. A., and **Clayton, M. M.** Vitamin E and reproduction on synthetic and milk diets, 665

McClendon, J. F. Colloidal properties of the surface of the living cell. I. Conductivity of blood to direct electric currents, 653

McDonald, Francis G. See Bills and McDonald, 821

Medes, Grace. Magnesium metabolism on purified diets, 295

Mitchell, H. H., and **Carman, G. G.** The biological value of the nitrogen of mixtures of patent white flour and animal foods, 183

— and —. Does the addition of sodium chloride increase the value of a corn ration for growing animals? 165

Morgulis, Sergius, Beber, M., and **Rabkin, I.** Studies on the effect of temperature on the catalase reaction. I. Effect of different hydrogen peroxide concentrations, 521

—, —, and —. II. Loss of catalase activity, 535

—, —, and —. III. Temperature effect at different hydrogen ion concentrations. IV. A theory of the catalase reaction, 547

Muenzen, Joseph B., Cerecedo, Leopold R., and **Sherwin, Carl P.** The comparative metabolism of certain aromatic acids. X. Fate of *m*-nitro-, *m*-amino-, *m*-hydroxy-, and *m*-chlorophenylacetic acids in man, the dog, and the rabbit, 503

N

Nelson, J. M., and **Post, C. Irwin.** Hydrolysis of sucrose by invertase in the presence of α-methyl glucoside. II, 265

Noyes, Helen Miller, Lorberblatt, I., and **Falk, K. George.** Studies on enzyme action. XXXIV. Actions of some ester-hydrolyzing enzymes at different temperatures, 135

O

Okey, Ruth, and **Erikson, Statie E.** Studies of the metabolism of women. II. Cyclic variations in uric acid and total non-protein nitrogen content of blood, 687

Ort, John M. See Kendall and Ort, 611

P

Palmer, Walter W. The titration of organic acids in urine, 245

Paul, John R. Rotatory and reducing values of glucose as influenced by the addition of muscle tissue and insulin *in vitro*, 425

Pederson, C. S., Peterson, W. H., and **Fred, E. B.** The forms of lactic acid produced by pure and mixed cultures of bacteria, 151

Peterson, H. A. See Pincus, Peterson, and Kramer, 601

Peterson, W. H. See Pederson, Peterson, and Fred, 151

Pfaltz, Mimosa H. See Levene and Pfaltz, 277

Pincus, J. B., Peterson H. A., and **Kramer, Benjamin.** A study by means of ultrafiltration of the condition of several inorganic constituents of blood serum in disease, 601

Post, C. Irwin. See Nelson and Post, 265

R

Rabkin, I. See Morgulis, Beber, and Rabkin, 521, 535, 547

Rolf, Ida P. See Levene and Rolf, 285

Rose, Anton R., and **Sherwin, Carl P.** Surface tension as a factor in detoxication, 565

Rose, William C., and **Cox, Gerald J.** Further experiments on the alleged interchangeability of arginine and histidine in metabolism, 217

—. See Cox and Rose, 769, 781

Ross, Effie C. See Stadie and Ross, 229

S

Sando, Charles E. The coloring matter, quercimeritrin, from the double chrysanthemum-flowered sunflower (*Helianthus annuus*), 407

—. Inositol from blackberry (*Rubus argutus* Link) and flowering dogwood (*Cornus florida*), 403

—. See Hann and Sando, 399

Scott, Norman D. See Conant and Scott, 107

Sherman, H. C., and **Cammack, M. L.** A quantitative study of the storage of vitamin A, 69

Sherwin, Carl P. See Muenzen, Cerecedo, and Sherwin, 503

—. See Rose and Sherwin, 565

Simms, H. S. See Levene and Simms, 759

Smith, Millard. The minimum endogenous nitrogen metabolism, 15

Sperry, Warren M. Lipid excretion. III. Further studies of the quantitative relations of the fecal lipids, 357

Stadie, William C., and **Ross, Effie C.** Studies on the oxygen-, acid-, and base-combining properties of blood. II. A rapid method for the preparation of crystalline isoelectric hemoglobin by the electrodialysis of red blood cells, 229

Sumner, James B. Is cyanic acid an intermediate product of the action of urease upon urea? 101

V

Van Slyke, Donald D., and **Hiller, Alma.** The residual reduction of blood, 323

Vickery, Hubert Bradford. Simpler nitrogenous constituents of yeast. I. Choline and nicotinic acid, 585

— and **Leavenworth, Charles S.** On the separation of histidine and arginine, 225

W

Waddell, S. S. See DEUEL, WADDELL, and MANDEL, 801

Walti, A. See LEVENE and WALTI, 415

Waterman, R. E. See WILLIAMS and WATERMAN, 499

West, R. See BENEDICT, DAKIN, and WEST, 1

Wierzuchowski, M. Animal calorimetry. Thirty-first paper. Respiratory metabolism in phlorhizin diabetes after glucose ingestion, 385

Wierzuchowski, M. Intermediary carbohydrate metabolism. I. Influence of insulin on levulose and glucose intravenously administered, 631

Williams, R. R., and **Waterman, R. E.** The solubility of vitamin B in benzene, 499

Y

Youngburg, Guy E., and **Finch, Myron W.** The effect of temperature on metabolism, particularly that of protein, 335

INDEX TO SUBJECTS.

A

Absorption:
Calcium salts, intestinal, solubility, relation (IRVING) 513

Acid:
-base balance, histamine effect (HILLER) 833
-combining properties of blood. II (STADIE and ROSS) 229

Acid(s):
Organic, urine, titration (PALMER) 245

Adenine:
Nucleotide, tea leaves, preparation (CALVERY) 593

Alcohol:
Test, reference to stability of evaporated milk during sterilization (BENTON and ALBERY) 251

Alkali:
Glycyl-glycyl-levoalanyl-glycine, action (LEVENE and PFALTZ) 277
Glycyl-levoalanyl-glycine, action (LEVENE and PFALTZ) 277

***m*-Aminophenylacetic acid:**
(MUENZEN, CERECEDO, and SHERWIN) 503

Amylase:
Aspergillus oryzæ, starch-liquefying activity, hydrogen ion concentration, effect (MASLOW and DAVISON) 83

Amylase—*continued:*
drogen ion concentration, effect (MASLOW and DAVISON) 83

Arginine:
(VICKERY and LEAVENWORTH) 225
Metabolism, histidine, interchangeability (ROSE and COX) 217

Aromatic acids:
Metabolism. X (MUENZEN, CERECEDO, and SHERWIN) 503

Aspergillus oryzæ:
Amylase, starch-liquefying activity, hydrogen ion concentration, effect (MASLOW and DAVISON) 83
Dextrinase, dextrin-liquefying activity, hydrogen ion concentration, effect (MASLOW and DAVISON) 95
Hydrolysis, dextrin (MASLOW and DAVISON) 75
—, starch (MASLOW and DAVISON) 75

B

Bacterium:
Lactic acid produced by pure and mixed cultures (PEDERSON, PETERSON, and FRED) 151

Base:
Acid-base balance, histamine effect (HILLER) 833
-combining properties of blood. II (STADIE and ROSS) 229
Beef:
Muscle, heart (BLOOR) 33
Benedict:
Blood sugar method, new, comparison with Folin-Wu (LYTTLE and HEARN) 751
Cerebrospinal fluid sugar method, new, comparison with Folin-Wu (LYTTLE and HEARN) 751
Benzene:
Vitamin B, solubility (WILLIAMS and WATERMAN) 499
Biochemistry:
Glutose, biochemical behavior (BENEDICT, DAKIN, and WEST) 1
Biology:
New-glucose determination in biological fluids, technique (LUNDSGAARD and HOLBØLL) 457
Nitrogen, animal foods, biological value (MITCHELL and CARMAN) 183
—, flour, patent white, mixtures, biological value (MITCHELL and CARMAN) 183
Blackberry:
See Rubus argutus Link.
Blood:
Acid-combining properties. II (STADIE and ROSS) 229
Blood—*continued:*
Base-combining properties. II (STADIE and ROSS) 229
Composition, raw soy bean diet (HORVATH) 343
Conductivity to direct electric currents (MCCLENDON) 653
Nitrogen, non-protein, cyclic variations, women (OKEY and ERIKSON) 687
Oxygen-combining properties. II (STADIE and ROSS) 229
Reduction (EGE) 317
—(VAN SLYKE and HILLER) 323
Serum, inorganic constituents in disease, ultrafiltration (PINCUS, PETERSON, and KRAMER) 601
Sugar, estimation (BENEDICT) 759
—, Folin-Wu and new Benedict method, comparison (LYTTLE and HEARN) 751
Uric acid, cyclic variations, women (OKEY and ERIKSON) 687
— — determination (BROWN) 123
Bone:
Calcium, quantitative estimation (KRAMER and HOWLAND) 711
Carbonate, quantitative estimation (KRAMER and HOWLAND) 711
Inorganic composition (HOWLAND, MARRIOTT, and KRAMER) 721

Bone—*continued:*
Magnesium, quantitative estimation (KRAMER and HOWLAND) 711
Phosphate, quantitative estimation (KRAMER and HOWLAND) 711
Buffer(s):
Specific, addition, reference to stability, of evaporated milk during sterilization (BENTON and ALBERY) 251

C

Calcium:
Bone, quantitative estimation (KRAMER and HOWLAND) 711
Excretion, parathyroid extract, effect (GREENWALD and GROSS) 325
Serum, solubility (IRVING) 239
Calcium salt(s):
Absorption, intestinal, solubility, relation (IRVING) 513
Calorimetry:
Animal. XXXI (WIERZUCHOWSKI) 385
—. XXXII (DEUEL, WADDELL, and MANDEL) 801
Carbohydrate:
Metabolism. VI (LUNDSGAARD and HOLBØLL) 457
—. VII (LUNDSGAARD and HOLBØLL) 475
—. VIII (LUNDSGAARD and HOLBØLL) 485
—, intermediary. I (WIERZUCHOWSKI) 631
Carbonate:
Bone, quantitative estimation (KRAMER and HOWLAND) 711
Catabolism:
Protein, histamine effect (HILLER) 847
Catalase:
Activity, loss, temperature effect (MORGULIS, BEBER, and RABKIN) 535
Reaction, temperature effect. I (MORGULIS, BEBER, and RABKIN) 521
—, — —. II (MORGULIS, BEBER, and RABKIN) 535
—, — —. III, IV (MORGULIS, BEBER, and RABKIN) 547
Cell:
Living, colloidal properties of surface. I (MCCLENDON) 653
Cephalin:
Soy bean (LEVENE and ROLF) 285
Cerebrospinal fluid:
Sugar, Folin-Wu and new Benedict method, comparison (LYTTLE and HEARN) 751
***m*-Chlorophenylacetic acid:**
(MUENZEN, CERECEDO, and SHERWIN) 503
Cholesterol:
Polymerization (BILLS and MCDONALD) 821
Choline:
Yeast constituent (VICKERY) 585

Collodion:
Membranes, calibration. I. (LUNDSGAARD and HOLBØLL) 439
—, standardization. I (LUNDSGAARD and HOLBØLL) 439
Colloid:
Cell, living, colloidal properties of surface. I (MCCLENDON) 653
Conductivity:
Blood, to direct electric currents (MCCLENDON) 653
Copper:
Reduction, hydrolysis, dextrin (MASLOW and DAVISON) 75
—, —, starch (MASLOW and DAVISON) 75
Corn:
Growing animals, sodium chloride addition to ration (MITCHELL and CARMAN) 165
Sodium chloride addition to ration for growing animals (MITCHELL and CARMAN) 165
Cornus florida:
Inositol (SANDO) 403
Scyllitol (HANN and SANDO) 399
Creatine:
Histidine replacement, in diet for growth (COX and ROSE) 769
Creatinine:
Histidine replacement, in diet for growth (COX and ROSE) 769
Cuorin:
Soy bean (LEVENE and ROLF) 285
Cyanic acid:
Urease action on urea, production (SUMNER) 101

D

Detoxication:
Surface tension, factor (ROSE and SHERWIN) 565
Dextrin:
Hydrolysis, by *Aspergillus oryzæ*. (MASLOW and DAVISON) 75
-liquefying activity of *Aspergillus oryzæ*, hydrogen ion concentration, effect (MASLOW and DAVISON) 95
Dextrinase:
Aspergillus oryzæ, dextrin-liquefying activity, hydrogen ion concentration, effect (MASLOW and DAVISON) 95
Diabetes:
Phlorhizin, respiratory metabolism, after glucose ingestion (WIERZUCHOWSKI) 385
Diet:
Corn, sodium chloride addition, growing animals (MITCHELL and CARMAN) 165
Growth, histidine replacement (COX and ROSE) 769
Imidazoles, synthetic, supplementing histidine deficiency (COX and ROSE) 781
Milk, vitamin E and reproduction (MATTILL and CLAYTON) 665
Purified, magnesium metabolism (MEDES) 295

Diet—*continued:*
Synthetic, vitamin E and reproduction (MATTILL and CLAYTON) 665
Dihydroxyacetone:
Hypoglycemia, insulin, effect (CAMPBELL and HEPBURN) 575
Dogwood:
See Cornus florida.

E

Electric:
Blood, conductivity, to direct currents (McCLENDON) 653
Electrodialysis:
Red blood cells, rapid preparation of crystalline isoelectric hemoglobin (STADIE and ROSS) 229
Enzyme:
XXXIV (NOYES, LORBERBLATT, and FALK) 135
Ester-hydrolyzing, different temperatures (NOYES, LORBERBLATT, and FALK) 135
Equilibrium:
Acid-base, histamine effect (HILLER) 833
Ester:
-hydrolyzing enzymes, different temperatures (NOYES, LORBERBLATT, and FALK) 135
Excretion:
Calcium, parathyroid extract, effect (GREENWALD and GROSS) 325
Lipid. III (SPERRY) 357
Phosphorus, parathyroid extract, effect (GREENWALD and GROSS) 325
Excretion—*continued:*
extract, effect (GREENWALD and GROSS) 325
Extract:
Parathyroid, calcium excretion, effect (GREENWALD and GROSS) 325
—, phosphorus excretion, effect (GREENWALD and GROSS) 325

F

Fatty acid:
Unsaturated, tissue distribution (BLOOR) 33
Feces:
Lipids (SPERRY) 357
Filtration:
Blood serum, inorganic constituents, study by ultrafiltration (PINCUS, PETERSON, and KRAMER) 601
Flour:
White, patent, mixtures, nitrogen, biological value (MITCHELL and CARMAN) 183
Fluid:
Biological, new-glucose determination, technique (LUNDSGAARD and HOLBØLL) 457
Folin-Wu:
Blood sugar method, comparison with new Benedict (LYTTLE and HEARN) 751
Cerebrospinal fluid sugar method, comparison with new Benedict (LYTTLE and HEARN) 751

Food:
Animal, nitrogen, biological value (MITCHELL and CARMAN) 183

G

Gluconic acid(s):
Lactone formation (LEVENE and SIMMS) 737
Glucosane:
Physiological behavior (DEUEL, WADDELL, and MANDEL) 801
Glucose:
Diabetes, phlorhizin, after ingestion, respiratory metabolism (WIERZUCHOWSKI) 385
Glycogen, liver, transformation *in vitro* (LUNDSGAARD and HOLBØLL) 475
Insulin action, *in vitro* (LUNDSGAARD and HOLBØLL) 485
Intravenously, insulin influence (WIERZUCHOWSKI) 631
Liver tissue action, *in vitro* (LUNDSGAARD and HOLBØLL) 485
New-glucose, determination in biological fluids, technique (LUNDSGAARD and HOLBØLL) 457
Reducing value, influenced by insulin *in vitro* (PAUL) 425
— —, — — muscle tissue *in vitro* (PAUL) 425
Structure (LEVENE and SIMMS) 737
Glutose:
Biochemical behavior (BENEDICT, DAKIN, and WEST) 1
Glycogen:
Liver, glucose, transformation *in vitro* (LUNDSGAARD and HOLBØLL) 475
Glycyl-glycyl-levoalanyl-glycine:
Alkali action (LEVENE and PFALTZ) 277
Glycyl-levoalanyl-glycine:
Alkali action (LEVENE and PFALTZ) 277
Growth:
Corn ration, sodium chloride addition, growing animals (MITCHELL and CARMAN) 165
Histidine replacement in diet (COX and ROSE) 769
Sodium chloride addition to corn ration (MITCHELL and CARMAN) 165

H

Halogen:
2-Oxydihydroindole-3-propionic acid, oxidation-reduction potentials (KENDALL and ORT) 611
Heart:
Muscle, beef (BLOOR) 33
Helianthus annuus:
Quercimeritrin (SANDO) 407
Hemoglobin:
Crystalline isoelectric, rapid preparation by electrodialysis of red

Hemoglobin—*continued:*
blood cells (STADIE and Ross) 229
Nitrogen adsorption (CONANT and SCOTT) 107
Histamine:
Acid-base balance, effect (HILLER) 833
Protein catabolism, effect (HILLER) 847
Histidine:
(VICKERY and LEAVENWORTH) 225
Creatine replacement, in diet for growth (COX and ROSE) 769
Creatinine replacement, in diet for growth (COX and ROSE) 769
Imidazoles, synthetic, supplementing diets deficient in (COX and ROSE) 781
Metabolism, arginine interchangeability (ROSE and COX) 217
Purine replacement, in diet for growth (COX and ROSE) 769
Hydrogen:
Ion concentration, amylase of *Aspergillus oryzæ*, starch-liquefying activity, effect (MASLOW and DAVISON) 83
— —, dextrinase of *Aspergillus oryzæ*, dextrin-liquefying activity, effect (MASLOW and DAVISON) 95
— —, reference to stability of evaporated milk during sterilization (BENTON and ALBERY) 251
Hydrogen—*continued:*
— —, temperature effect on catalase reaction (MORGULIS, BEBER, and RABKIN) 547
Hydrogen peroxide:
Concentration, catalase reaction, effect (MORGULIS, BEBER, and RABKIN) 521
Hydrolysis:
Dextrin, by *Aspergillus oryzæ* (MASLOW and DAVISON) 75
Starch, by *Aspergillus oryzæ* (MASLOW and DAVISON) 75
Sucrose, by invertase in presence of α-methyl glucoside. II (NELSON and POST) 265
β-Hydroxybutyric acid:
Propylene glycol, configurational relationship (LEVENE and WALTI) 415
***m*-Hydroxyphenylacetic acid:**
(MUENZEN, CERECEDO, and SHERWIN) 503
Hypoglycemia:
Insulin, dihydroxyacetone, effect (CAMPBELL and HEPBURN) 575

I

Imidazole(s):
Synthetic, supplementing diets deficient in histidine (COX and ROSE) 781
Inorganic:
Blood serum, constituents in disease, ultrafiltration (PINCUS, PETERSON, and KRAMER) 601

Inorganic—*continued:*
Bone composition (Howland, Marriott, and Kramer) 721
Inositol:
Blackberry (*Rubus argutus* Link) (Sando) 403
Dogwood (*Cornus florida*) (Sando) 403
Insulin:
Glucose, acted upon, *in vitro* (Lundsgaard and Holbøll) 485
—, intravenously administered, influence (Wierzuchowski) 631
— reducing values, influenced *in vitro* (Paul) 425
Hypoglycemia, dihydroxyacetone, effect (Campbell and Hepburn) 575
Levulose, intravenously administered, influence (Wierzuchowski) 631
Intestine:
Calcium salts, absorption, solubility, relation (Irving) 513
Intravenous:
Insulin, influence on glucose intravenously administered (Wierzuchowski) 631
—, — — levulose intravenously administered (Wierzuchowski) 631
Invertase:
Sucrose hydrolysis in presence of α-methyl glucoside. II (Nelson and Post) 265
In vitro:
Glycogen, liver, transformation into glucose (Lundsgaard and Holbøll) 475
Insulin, action on glucose (Lundsgaard and Holbøll) 485
— addition to glucose, influence on rotatory and reducing values (Paul) 425
Liver tissue, action on glucose (Lundsgaard and Holbøll) 485
Muscle tissue, addition to glucose, influence on rotatory and reducing values (Paul) 425
Ion:
Hydrogen, concentration, amylase of *Aspergillus oryzæ*, starch-liquefying activity, effect (Maslow and Davison) 83
—, —, dextrinase of *Aspergillus oryzæ*, dextrin-liquefying activity, effect (Maslow and Davison) 95
—, —, reference to stability of evaporated milk during sterilization (Benton and Albery) 251
—, —, temperature effect on catalase reaction (Morgulis, Beber, and Rabkin) 547

L

Lactic acid:
Bacteria, pure and mixed cultures, production

Lactic acid—*continued:*
(PEDERSON, PETERSON, and FRED) 151
Lactone:
Gluconic acids, formation from (LEVENE and SIMMS) 737
Lecithin:
Soy bean (LEVENE and ROLF) 285
Levulose
Intravenously, insulin influence (WIERZUCHOWSKI) 631
Lipid:
Excretion. III (SPERRY) 357
Fecal (SPERRY) 357
Liver:
Glucose, acted upon, *in vitro* (LUNDSGAARD and HOLBØLL) 485
Glycogen, glucose, transformation *in vitro* (LUNDSGAARD and HOLBØLL) 475

M

Magnesium:
Bone, quantitative estimation (KRAMER and HOWLAND) 711
Metabolism on purified diets (MEDES) 295
Membranes:
Collodion, calibration. I (LUNDSGAARD and HOLBØLL) 439
—, standardization. I (LUNDSGAARD and HOLBØLL) 439
Metabolism:
Arginine and histidine interchangeability (ROSE and COX) 217
Metabolism—*continued:*
Aromatic acids. X (MUENZEN, CERECEDO, and SHERWIN) 503
Carbohydrate. VI (LUNDSGAARD and HOLBØLL) 457
—. VII (LUNDSGAARD and HOLBØLL) 475
—. VIII (LUNDSGAARD and HOLBØLL) 485
—, intermediary. I (WIERZUCHOWSKI) 631
Histidine and arginine interchangeability (ROSE and COX) 217
Magnesium, purified diets (MEDES) 295
Nitrogen, endogenous, minimum (SMITH) 15
Protein, temperature effect (YOUNGBURG and FINCH) 335
Respiratory, phlorhizin diabetes after glucose ingestion (WIERZUCHOWSKI) 385
Temperature effect (YOUNGBURG and FINCH) 335
Women. II (OKEY and ERIKSON) 687
α-Methyl glucoside:
Sucrose hydrolysis by invertase, in presence of. II (NELSON and POST) 265
Milk:
Diet, vitamin E and reproduction (MATTILL and CLAYTON) 665
Evaporated, stability,

Milk—*continued:*
during sterilization, reference to addition of specific buffers (BENTON and ALBERY) 251
—, —, — —, — — alcohol test (BENTON and ALBERY) 251
—, —, — —, — — hydrogen ion concentration (BENTON and ALBERY) 251
Mineral:
Content, skin (BROWN) 729
Muscle:
Glucose reducing values, influenced *in vitro* (PAUL) 425
Heart, beef (BLOOR) 33

N

Nicotinic acid:
Yeast constituent (VICKERY) 585
Nitrogen:
Animal foods, biological value (MITCHELL and CARMAN) 183
Flour, patent white mixtures, biological value (MITCHELL and CARMAN) 183
Hemoglobin adsorption (CONANT and SCOTT) 107
Metabolism, endogenous, minimum (SMITH) 15
Non-protein, total, blood, cyclic variations, women (OKEY and ERIKSON) 687
Yeast. I (VICKERY) 585
***m*-Nitrophenylacetic acid:**
(MUENZEN, CERECEDO, and SHERWIN) 503
Nucleotide:
Adenine, tea leaves, preparation (CALVERY) 593

O

Organic acid(s):
Urine, titration (PALMER) 245
Oxidation:
-reduction potentials of 2-oxydihydroindole-3-propionic acid and its halogen derivatives (KENDALL and ORT) 611
2-Oxydihydroindole-3-propionic acid:
Oxidation-reduction potentials (KENDALL and ORT) 611
Oxygen:
-combining properties of blood. II (STADIE and ROSS) 229

P

Parathyroid:
Calcium excretion, effect (GREENWALD and GROSS) 325
Phosphorus excretion, effect (GREENWALD and GROSS) 325
Phlorhizin:
Diabetes, metabolism, respiratory, after glucose ingestion (WIERZUCHOWSKI) 385
Phosphate:
Bone, quantitative estimation (KRAMER and HOWLAND) 711

Phosphatides:
Plant. II (LEVENE and ROLF) 285
Phosphorus:
Excretion, parathyroid extract, effect (GREENWALD and GROSS) 325
Physiology:
Glucosane, physiological behavior (DEUEL, WADDELL, and MANDEL) 801
Propylene glycol:
β-Hydroxybutyric acid, configurational relationship (LEVENE and WALTI) 415
Protein:
Catabolism, histamine effect (HILLER) 847
Metabolism, temperature effect (YOUNGBURG and FINCH) 335
Purine:
Histidine replacement, in diet for growth (COX and ROSE) 769

Q

Quercimeritrin:
Sunflower (*Helianthus annuus*) (SANDO) 407

R

Racemization:
III (LEVENE and PFALTZ) 277
Red blood cell:
Electrodialysis, hemoglobin, crystalline isoelectric, rapid preparation (STADIE and ROSS) 229
Reduction:
Blood (EGE) 317
Reduction—*continued:*
— (VAN SLYKE and HILLER) 323
Glucose, reducing value, influenced by insulin *in vitro* (PAUL) 425
—, — —, — — muscle tissue *in vitro* (PAUL) 425
Oxidation-reduction potentials of 2-oxydihydroindole-3-propionic acid and its halogen derivatives (KENDALL and ORT) 611
Reproduction:
Vitamin E, synthetic and milk diets (MATTILL and CLAYTON) 665
Respiration:
Metabolism, respiratory, phlorhizin diabetes after glucose ingestion (WIERZUCHOWSKI) 385
Rickets:
Antirachitic substances. IV (BILLS and MCDONALD) 821
Rubus argutus Link:
Inositol (SANDO) 403

S

Scyllitol:
Dogwood (*Cornus florida*) (HANN and SANDO) 399
Serum:
Blood, inorganic constituents in disease, ultrafiltration (PINCUS, PETERSON, and KRAMER) 601
Calcium solubility in (IRVING) 239
Skin:
Mineral content (BROWN) 729

Sodium chloride:
Corn ration, addition, growing animals (MITCHELL and CARMAN) 165
Growing animals, addition to corn ration (MITCHELL and CARMAN) 165
Soy bean:
Blood composition, rabbit, fed (HORVATH) 343
Cephalin (LEVENE and ROLF) 285
Cuorin (LEVENE and ROLF) 285
Lecithin (LEVENE and ROLF) 285
Starch:
Hydrolysis, by *Aspergillus oryzæ* (MASLOW and DAVISON) 75
-liquefying activity of amylase of *Aspergillus oryzæ*, hydrogen ion concentration, effect (MASLOW and DAVISON) 83
Sterilization:
Milk, evaporated, stability, reference to addition of specific buffers (BENTON and ALBERY) 251
—, —, —, — — alcohol test (BENTON and ALBERY) 251
—, —, —, — — hydrogen ion concentration (BENTON and ALBERY) 251
Sucrose:
Invertase, hydrolysis by, in presence of α-methyl glucoside. II (NELSON and POST) 265
Sugar:
Blood, estimation (BENEDICT) 759
—, Folin-Wu and new Benedict method, comparison (LYTTLE and HEARN) 751
Cerebrospinal fluid, Folin-Wu and new Benedict method, comparison (LYTTLE and HEARN) 751
Urine, estimation (BENEDICT) 759
Sunflower:
See Helianthus annuus.
Surface tension:
Detoxication factor (ROSE and SHERWIN) 565

T

Tea leaves:
Adenine nucleotide, preparation (CALVERY) 593
Temperature:
Catalase reaction. I (MORGULIS, BEBER, and RABKIN) 521
— —. II (MORGULIS, BEBER, and RABKIN) 535
— —. III, IV (MORGULIS, BEBER, and RABKIN) 547
— —, hydrogen ion concentrations, different, effect (MORGULIS, BEBER, and RABKIN) 547
Enzymes, ester-hydrolyzing (NOYES, LORBERBLATT, and FALK) 135

Temperature—*continued:*
Metabolism, protein, effect (YOUNGBURG and FINCH) 335
Tetany:
(DRUCKER and FABER) 57
Tissue:
Fatty acids, unsaturated, distribution (BLOOR) 33
Liver, glucose acted upon, *in vitro* (LUNDSGAARD and HOLBØLL) 485
Muscle, glucose reducing values, influenced *in vitro* (PAUL) 425

U

Urea:
Cyanic acid produced by urease action (SUMNER) 101
Urease:
Cyanic acid produced by action upon urea (SUMNER) 101
Uric acid:
Blood, cyclic variations, women (OKEY and ERIKSON) 687
—, determination (BROWN) 123
Urine:
Organic acids, titration (PALMER) 245
Sugar, estimation (BENEDICT) 759

V

Vitamin(s):
A, storage (SHERMAN and CAMMACK) 69
B, benzene solubility (WILLIAMS and WATERMAN) 499
E, reproduction, synthetic and milk diets (MATTILL and CLAYTON) 665

Y

Yeast:
Nitrogenous constituents. I (VICKERY) 585